

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	12	((metal) adj2 (over or top or cover\$4) adj2 (resist or pr or photoresist)) and ((resist or pr or photoresist) near2 reflow\$4)) and (@ad < "20020826")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:21
S37	4682	((438/551) or (438/694) or (438/725) or (438/945)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:51
S76	777	(resist or pr or photoresist) near2 reflow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:18
S77	719	(edge boundry boundary perimeter) near4 (rough\$6 smooth\$4 uneven\$4 even\$4) near4 (resist or pr or photoresist)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:39
S79	11	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:21
S80	6	S79 and (@ad < "20020826")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:26
S81	78	(cover\$4 over\$4) near8 S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:56
S82	63	S81 and (@ad < "20020826")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:57
S83	235	(cover\$4 over\$4) same S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:57

S84	157	S83 not S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 18:57
S85	114	S84 and (@ad < "20020826")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 19:08
S86	129	S84 and (@ad < "20030803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 19:09
S87	15	S86 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 19:09
S88	563057	resist or pr or photoresist	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 17:36
S89	40181	reflow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 17:36
S90	282368	softer soften\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 17:36
S91	20634	(hard metal\$4 carbon)adj mask\$4 hard-mask\$4 hardmask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 17:39
S92	25207	(shell carbon\$6 silylat\$4 protect\$4 outer) near4 S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 17:40
S93	3604	S91 near4 S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 17:40

S94	104	(S92 or S93) same (S89 S90) near4 S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:40
S95	94	S94 and (@ad < "20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:40
S96	2	"20030180633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:38
S97	4558051	heat\$4 thermal\$4 anneal\$4 rta rtp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:38
S98	719	(edge boundry boundary perimeter) near4 (rough\$6 smooth\$4 uneven\$4 even\$4) near4 (resist or pr or photoresist)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:39
S99	19	(S92 or S93) same S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:40
S10 0	17	S99 and (@ad < "20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/27 18:40
S10 1	4902	((438/551) or (438/694) or (438/725) or (438/945)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 18:51